

QUESTIONNAIRE

SACK DISCHARGING

Form to complete and return by mail to contact@palamatic.fr

To make sure your data is taken into account, please save the document on your desktop before filling it in.

Company		Date		
Company		Dute		
Contact name		Project ref.		
Function		Phone		
Address		E-mail		The state of the s
City				MIT STATE ST
Country				all Sa
Sector of activity	Food & Feed	Chemical industry	Fine chemical industry	
	Building industry	Water treatment	Other	
PROCES	S REQUIREMENTS - II	POSSIBLE, SEND US	A SKETCH OF THE REQUIRED	INSTALLATION
System in	plementation	Indoor	Outdoor	
Operating	temperature -	·20°/+40°	Other	
Height ava	ilable in mm.			
Required 1	flow rate in t./h.			
Number of		Operating t	ime - h./week	
Number of	Sacks III.	Sportaining t	inic injugat	
Atex	yes*	no	Temperature	
Zone	20 21	22 0	1 2	
* <u>If Atex zo</u>	ne, please send the correspo	onding questionnaire.		
MANUF	ACTURING			
Parts in co	ontact with the product N	fild steel AISI 304L	AISI 316L Other	
Other part	s N	fild steel AISI 304L	AISI 316L Other	
ADDITIO	ONAL INFORMATION			

SACK TECHNICAL CHARACTERISTICS

	Р	roduct 1	Pro	duct 2	Р	roduct 3	F	Product 4
Type of sacks								
Dimensions in mm								
Weight in kg								
Type of opening								
Glued	yes	no	yes	no	yes	no	yes	no
Stitched	yes	no	yes	no	yes	no	yes	no
Inner liner	yes	no	yes	no	yes	no	yes	no

Note: This data is important data for the validation of the adapted system. If possible, send us photos of the sacks.

PRODUCTS CHARACTERISTICS

	Product 1	Product 2	Product 3	Product 4	
Designation					
Apparent density kg/m³			7		
True density kg/m³		(0			
Maximum granulometry μm		19/5			
Main granulometry μm					
Angle of repose °					
Moisture content %		\Diamond			
Product temperature °C					
Abrasive	yes no	yes no	yes no	yes no	
Toxic	yes no	yes no	yes no	yes no	
Arching	yes no	yes no	yes no	yes no	
Sticky	yes no	yes no	yes no	yes no	
Food product	yes no	yes no	yes no	yes no	
Special characteristics*	yes no	yes no	yes no	yes no	
Free flowing product	yes no	yes no	yes no	yes no	
Lumpy products**	yes no	yes no	yes no	yes no	
Caked product	yes no	yes no	yes no	yes no	


^{*} If yes, please forward us the Material Safety Data Sheet.

Note: The standard machines are able to pass 80 mm lump with a sieve of 100 x 100 mm 2/3.

It is very important to give us the maximum information on the products to be treated; please send us the MSDS or inform us of the danger level/toxicity of the product.

^{**}If the product presents lumps, please define the type of lumps

EXAMPLES OF IMPLEMENTATION



Palamatic - Rue de l'Ecotais - ZA de la Croix Rouge - 35530 BRECE - Phone: 00 33 2 99 86 06 22